

Mammogram & Breast Examination



Awareness. . .

Breast cancer is the second leading cause of cancer deaths in women. Breast cancer can strike **any woman**, but some women are more likely than others to get breast cancer. You are at **greater risk** for breast cancer if you:

• Are ages **50 or over** • **Mother or sister** had breast cancer • **Previously** had breast cancer

Behavior

It is possible to find breast cancer **early**, when it is most successfully **treated**. Early detection of cancer can save your life. The best ways to find breast cancer early are to:

- Get a **mammogram** every year if you are over 50 years of age. Your doctor may suggest a mammogram every one to two years between ages 40-49, depending on your individual needs.*
- See your doctor or nurse for yearly **breast examinations** & check your breasts monthly.
- Call your doctor or clinic if you find any lumps, dents, changes in breast shape or skin texture, discharge from the nipple, or swollen veins in a breast.

Changes

Make an appointment for a checkup if you haven't had a breast examination and mammogram in over one year.

- Mark your calendar with the date you will check your breasts each month.
- Eat more fruits, vegetables and whole grains, and less fat.
- Get 30 minutes of physical activity on most days of the week.

^{*}For additional information about breast and cervical cancer, contact the TDH Breast and Cervical Cancer Control Program at 1-800-452-1955.

ABC's Of Health



Awareness...

Pap test

Having a Pap test can save your life. A doctor or nurse can do the Pap test in the office. The Pap test can detect **early changes** in the cervix (opening to the womb) that could develop into cancer of the cervix. The early changes do not cause symptoms and can be treated easily, usually in a doctor's office or a clinic.

Some women are more likely than others to develop cancer of the cervix. Your **risks** for cancer of the cervix may be increased if:

- You have ever had a sexually transmitted infection, especially genital warts.
- You have had more than one sexual partner or your partner has had more than one.
- You started having sex before age 18.
- You smoke cigarettes.

Behavior

- Get a Pap test **every year**. Your doctor or clinic may recommend Pap tests more or less often based on your test results and/or other risks.*
- Have sex with only one partner who also has sex with no other partners; use condoms.
- Call your doctor or clinic if you have spotting or bleeding after sex or if sex is painful.

Change

- Make an appointment for a check up if you have not had a Pap test in the last year.
- Eat more fruits, vegetables and whole grains every day.
- If you smoke cigarettes, talk to your doctor or nurse about ways to **stop smoking**.
- Get 30 minutes of physical activity most days of the week.

Texas Department of Health 1100 West 49th Street Austin, Texas 78756 www.tdh.state.tx.us Bureau of Disease, Injury and Tobacco Prevention 512-458-7534 www.tdh.state.tx.us/ppip/index.htm



^{*} American Cancer Society recommendation